

DEITY

MICROPHONES

TARIF 2025



PRÉSENTATION

Deity Microphones se consacre à la fabrication de micros et de produits audio uniques qui remplissent impeccamment leur mission.

Lancée par un ingénieur du son TV, notre société se fonde sur une connaissance parfaite de l'équipement dont ont besoin les professionnels.

Le TC-SL1 est le premier clap intelligent de timecode au monde pouvant être synchronisé via une application de téléphone Bluetooth®. Doté de fonctionnalités de pointe, le TC-SL1 offre aux utilisateurs la possibilité de télécharger notre application gratuite et de contrôler leur clap de timecode sans fil. Synchronisez votre TC-SL1 et vos générateurs de timecode TC-1 via Bluetooth.



Le TC-1 reprend et réunit les meilleurs éléments des boîtes de timecode antérieures pour vous présenter le générateur de timecode du futur. Nous l'avons conçu afin qu'il s'adapte à votre flux de travail, quelle que soit votre façon de travailler. Vous pouvez le synchroniser sans fil depuis votre téléphone ou même depuis d'autres boîtiers en utilisant notre écosystème radio 2.4G à 8 canaux.



Le Deity SPD-1 est un boîtier de distribution d'alimentation robuste destiné au preneur de son d'aujourd'hui et de demain. Conçu pour fonctionner dans un sac ou une roulante, il inclut des caractéristiques qui en font un système hybride.



Un choix varié de micros-cravates couvre tous les usages envisageables : ENG, subminiature et standard. Notre gamme de micros canon S-Mic a été conçue pour résister aux conditions de tournage parfois rudes que les réalisateurs imposent. La pluie, la neige, la chaleur, ne dérangeront pas vos prises de son.



Le son est l'un des aspects les plus importants de votre travail de réalisateur. Il n'y a rien de plus frustrant que de découvrir que votre bande son est inutilisable à cause d'interférences, d'interruptions de signal ou d'autres problèmes. C'est là qu'intervient le système numérique sans fil Theos de Deity. Ce système de pointe est conçu pour rendre l'enregistrement de votre bande son le plus fluide et le moins stressant possible.



Professionnels de l'audio, vous savez qu'un enregistreur portable fiable vous est essentiel pour capter des pistes audio de qualité dans le feu de l'action. L'enregistreur de poche Deity PR-2 est petit mais extrêmement efficace: l'étendue impressionnante de ses fonctionnalités le distingue de ses homologues et lui permet de faire la différence.

PRÉSENTATION

La barre de montage stéréo AMB1 améliore votre installation d'enregistrement audio : c'est la solution idéale autant pour les ingénieurs du son professionnels que pour les amateurs passionnés.



Conçue pour offrir polyvalence et précision, l'AMB1 accueille aussi bien les antennes RF que les microphones, ce qui en fait un outil essentiel pour créer des enregistrements stéréo impeccables.

Que vous capturiez les nuances subtiles d'une symphonie ou que vous ayez besoin d'une plus grande portée RF lors d'un concert en direct, l'AMB1 satisfait vos besoins.

Découvrez le SRD-Mini, le distributeur RF portable ultime, conçu pour une utilisation avec des enregistreurs/mixeurs portables. Cet appareil de pointe garantit une connectivité sans failles et des performances supérieures dans les conditions les plus exigeantes.




Le SRD-Mini est doté d'un répartiteur actif qui corrige les pertes de ligne et vous garantit un signal fort. Une protection intégrée contre les surcharges RF et des LED d'avertissement vous alertent en cas de problèmes de signal potentiels et vous permettent de garder une installation fiable et efficace.



PRÉSENTATION

Deity enrichit sa gamme de perches avec l'ajout de deux nouveaux modèles, portant le total à trois. Fabriquées en fibre de carbone et dotées de bagues en aluminium, ces perches allient robustesse et légèreté. Leur poignée en mousse amovible contribue à réduire efficacement les bruits de manipulation. Les trois modèles disponibles sont : BP260 : extensible jusqu'à 2,6 mètres, BP380 : extensible jusqu'à 3,8 mètres, BP500 : extensible jusqu'à 5 mètres.

Deity a également dévoilé son antenne directionnelle active Shark SF1. Grâce à sa large plage de fréquences et à sa conception robuste, la SF1 se distingue par sa polyvalence et sa compatibilité avec de nombreux systèmes sans fil, notamment l'écosystème THEOS de Deity ainsi que d'autres marques. Son boîtier étanche assure une fiabilité optimale quelles que soient les conditions, tandis que ses fixations métalliques garantissent une installation stable et sécurisée.



Deity vient de lancer son tout nouveau récepteur IFB. Le Deity DIFB est doté d'une interface moderne avec un large écran couleur, facilitant la navigation dans les menus et les réglages. L'écran d'accueil affiche la fréquence en cours ainsi que le volume, et il suffit d'appuyer sur l'encodeur rotatif pour basculer rapidement entre les deux paramètres.



Prochainement, Deity élargira sa gamme avec deux nouveaux enregistreurs numériques venant compléter le PR-2 :

PR-4 : enregistreur de 4 entrées / 6 pistes

PR-6 : enregistreur de 6 entrées / 10 pistes



PR-4



PR-6

SOMMAIRE

Theos Wireless Digital UHF Series	
KIT wireless digital UHF	1
Wireless digital receiver	1
Wireless digital transmitter	1
IFB receiver	2
Accessories	2
Recorder Series	
Stereo pocket recorder	4
RF Distribution Series	
RF Distributor	5
Cable	5
Adjustable Mounting Bar	6
Butterfly antenna	6
Shark antenna	6
Timecode Series	
Timecode Slate	7
Timecode device	7
Accessories	7
Smart Power Distribution Series	
Smart Power Distributor	10
Battery	10
Charger	10
Accessories	10
Cinema Series	
Shotgun microphone	14
CineReach Series	
Boompole	15
Deluxe Windshield	15
Shotgun mic shock mount	16
Video Series	
Mini shotgun	17
Lavaliers	
Lav Pro Microphone	18
Accessories	18
Accessories	
Accessories	21

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Système HF THEOS			
	THEOS Digital Wireless 2ch Kit	Deity THEOS Digital Wireless 2ch Kit (Global version)	1 090
	THEOS D2RX	Deity THEOS D2RX Dual-Channel Wireless Receiver (Global version)	339
	THEOS DBTX	Deity THEOS DBTX Bodypack Transmitter (Global version)	399
	THEOS DLTX	Deity THEOS DLTX Phantom Power Body pack Transmitter	539
	THEOS DXTX	Deity THEOS DXTX Plug-on Transmitter	469

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	THEOS DIFB	Deity THEOS DIFB IFB receiver	249
	THEOS DIFB Kit	Deity THEOS DIFB kit : 3 x THEOS DIFB + 1 x DBTX	950
	DLTX Boom	Deity THEOS DLTX Boom Pole Mount	39
	DXTX 5PIN XLR	Deity THEOS DXTX 5-Pin XLR Stereo Analogue Plug-on	59
	DXTX Boom Pole Bracket	Deity THEOS DXTX Boom Pole Bracket	35
	THEOS UHF - RA	THEOS UHF - RA (Receiver Antenna - Uncut)	22

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	THEOS UHF - TA	THEOS UHF - TA (Transmitter Antenna - Uncut)	22
	THEOS Pouch (Black)	THEOS Pouch (Black)	29
	THEOS Pouch (Beige)	THEOS Pouch (Beige)	29
	THEOS Case	THEOS Case	59

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Recorder Series			
	Deity PR-2	Deity PR-2 Stereo Pocket Recorder with Lavalier Mic	230

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
RF Distribution Series			
	Deity SRD Mini	Deity SRD Mini (RF Distributor)	550
	Deity BNC-BNC Cable 500	Deity BNC-BNC Cable (5m)	40
	Deity BNC-BNC Cable 45	Deity BNC-BNC Cable (45cm)	33
	Deity BNC-SMA Cable 45	Deity BNC-SMA Cable (45cm)	33
	Deity SMA-SMA Cable 45	Deity SMA-SMA Cable (45cm)	33

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity AMB1	Deity AMB1 (Adjustable Mounting Bar)	175
	BF1 Butterfly	Deity BF1 butterfly antenna (2 kit, Wide Band UHF)	300
	SF1 Shark	Deity SF1 shark fin antenna	430

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Timecode Series			
	Deity TC-SL1 (EU)	Timecode Slate	999
	Deity TC-1	Timecode device	159
	Deity Double kit TC-1	Timecode device Double Kit	289
	KIT Deity TC-1	Timecode device 3-kit inc. cables	439
	Deity C12	3.5 Locking TRS To TRS Coiled Cable	10

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity C14	3.5 Locking TRS to Lemo 5 Timecode Cable	75
	Deity C15	3.5 Locking TRS to BNC Timecode Cable	20
	Deity C16	3.5 Locking TRS to Lemo 4 Timecode Cable	75
	Deity C17	3.5 Locking TRS to Lemo 9 Timecode Cable	45
	Deity C19	3.5 Locking TRS to Din 1.0/2.3 Timecode Cable	45
	Deity C21	3.5 Locking TRS to USB-C Timecode/audio Cable	20

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity C23	Compatible with Sony FX3/FX30	45
	Deity FB-NP-F550-DT	Deity FB-NP-F550-DT	40
	Deity TC-SL1	Screen Protector	19

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Smart Power Distribution Series			
	Deity SPD-Mini	Deity SPD-Mini (Smart Power Distributor)	250
	Deity DQC2	Deity DQC2 Dual Charger	190
	Deity 140W GaN Pro	Deity 140W GaN Pro Charger Kit (for Deity DQC2)	89
	Deity C24	Deity C24 (USB C to USB C 1.5m)	23
	Deity SPD-1	Smart Power Distributor	269

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity S-95	Battery	159
	Deity DQC-1	Charger	65
	Deity SPD-T4BATT	TA4 to HiQ Battery Cup	45
	Deity SPD-T4DT	TA4 to D-Tap	27
	Deity SPD-HRHR	4-Pin Hirose to 4-Pin Hirose	27
	Deity SPD-HRBATT	4-Pin Hirose to HiQ Battery Cup	45

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity SPD-HR3U	4-Pin Hirose to Triple USB-C	39
	Deity SPD-HRISO	4-Pin Hirose to Isolated Hirose	75
	Deity SPD-HRDC	4-Pin Hirose to 5.5mm DC Plug	27
	Deity SPD-HRT4	4-Pin Hirose to TA4F	27
	Deity SPD-HR21	4-pin Hirose to 55mm/21mm Right Angle DC plug	27
	Deity SPD-HR25	4-pin Hirose to 55mm/25mm Right Angle DC plug	27

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity SPD-HR12V	4-Pin Hirose to 12v regulated Hirose	39

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Cinema Series			
	Deity S-Mic 3	Shotgun microphone (supercardioid) - 50Hz to 20 KHz - 130dB SPL - 80g - D 1,9cm / L 25cm - 3 pin XLR	400
	Deity S-Mic 3S	Shotgun microphone (supercardioid) - 50Hz to 20 KHz - 130dB SPL - 44g - D 1,9cm / L 14,8cm - 3 pin XLR	350

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
CineReach Series			
	BP260	Deity CineReach BP260 (Boompole)	175
	BP380	Deity CineReach BP380 (Boompole)	299
	BP500	Deity CineReach BP500 (Boompole)	415
	Deity W01 Deluxe Windshield	Deity W01 Deluxe Windshield for S-Mic 2 and 3	25
	Deity W02 Deluxe Windshield	Deity W02 Deluxe Windshield for S-Mic 2S and 3S	25

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	ASM2 Pro Kit	Shotgun microphone shock mount crafted in partnership with Radius Windshields	150

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Video Series			
	V-MIC D4 Mini	<p>Mini shotgun microphone - Super cardioid - 20Hz – 20KHz - max 134dB SPL - 28g - Includes: Microphone, Faux Fur Windshield, TRS Camera Cable, TRRS Phone Cable, Shockmount</p>	40

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Lavaliers			
	Deity W.Lav Pro 3.5mm TRS	Deity W.Lav Pro 3.5mm TRS (lavalier 3.5mm TRS) - 1,8m, IP57 - Locking 3.5mm Connector	120
	Deity W.Lav Pro 3 Pin Lemo black	Deity W.Lav Pro 3 Pin Lemo (Black) - 1,8m, IP57	169
	Deity Dual-Head WLP	Deity Dual-Head WLP (dual capsule lavalier - 3.5mm TRS)	150
	Deity W.lav Pro Black	Lav Pro Microphone (Black - w/o adapter)	100
	Deity W.Lav Micro Black	Lav Micro Microphon (Black - w/o adapter)	140

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity W.Lav Micro Beige	Deity W.Lav Micro Microphone (Beige - w/o adapter)	140
	Deity W.Lav Micro Beige (DA35 adapater)	Deity W.Lav Micro Microphone (Beige - DA35 Adapter)	189
	Deity DA35	Microdot Adapter for W.Lav series Black	30
	Deity DA3L	Lemo Microdot Adapter for W.Lav series	40
	Deity DA4 Black	Microdot Adapter for W.Lav series Black	40
	Deity DA4 Beige	Microdot Adapter for W.Lav series Beige	40

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
	Deity WLP Lavalier Deluxe accessory kit	Deity WLP Lavalier Deluxe Accessory Kit	35

PHOTO	RÉFÉRENCE	DESCRIPTION	PRIX €HT
Accessories			
	L3-Link	Deity L3-Link - Purpose-built adapter for phantom-powered microphones - Specialized pinout for DLTX compatibility - Optimized for boom pole transmitter configuration - 30cm	89
	XLR Link	Deity XLR Link - The Deity XLR Link is a short shielded jumper cable feature low profile right angle XLR connectors - 50cm	39
	D-XLR	XLR phantom power to 3.5mm TRS converter	24
	V-LINK	B107XLR phantom power to 3.5mm TRS cable	34
	RX-LINK	Low Profile XLR to 3.5mm TRS cable - 40cm	30